




# Gelaste en naadloze buis Welded and seamless tube Tube soudé et tube sans soudure Geschweisstes und nahtloses Rohr



Pipe				
D	Wt	D	Wt	Weight
mm	mm	Inch	SCH/BWG	Kg/mtr
3.18	0.89	1/8"	0.035"	0.05
4.00	1.00			0.07
5.00	1.00			0.10
6.00	1.00			0.13
6.00	1.50			0.17
6.00	2.00			0.20
6.35	0.71	1/4"	0.028"	0.10
6.35	0.89	1/4"	0.035"	0.12
6.35	1.24	1/4"	0.049"	0.16
6.35	1.65	1/4"	0.065"	0.19
8.00	1.00			0.18
8.00	1.50			0.24
8.00	2.00			0.30
9.00	1.00			0.20
9.00	1.50			0.28
9.53	0.89	3/8"	0.035"	0.19
9.53	1.24	3/8"	0.049"	0.26
9.53	1.65	3/8"	0.065"	0.33
10.00	1.00			0.23
10.00	1.20			0.26
10.00	1.50			0.32
10.00	2.00			0.40
10.00	2.50			0.46
10.20	1.20			0.27
10.20	1.60			0.34
10.20	2.00	1/8" GAS		0.41
10.29	1.73	1/8"	40S	0.37
10.29	2.41	1/8"	80S	0.47
11.00	1.00			0.25
11.00	1.50			0.36
12.00	0.60			0.17
12.00	1.00			0.28
12.00	1.50			0.39
12.00	2.00			0.50
12.00	2.50			0.60
12.00	3.00			0.68
12.70	0.89	1/2"	0.035"	0.26
12.70	1.24	1/2"	0.049"	0.36
12.70	1.65	1/2"	0.065"	0.46
12.70	2.11	1/2"	0.083"	0.56
13.00	1.00			0.30
13.00	1.50			0.43
13.00	2.50			0.66
13.50	1.00			0.31
13.50	1.50			0.45
13.50	1.60			0.48
13.50	1.80			0.53
13.50	2.00			0.58

Pipe				
D	Wt	D	Wt	Weight
mm	mm	Inch	SCH/BWG	Kg/mtr
13.50	2.30	1/4" GAS		0.65
13.72	1.65	1/4"	10S	0.49
13.72	2.24	1/4"	40S	0.64
13.72	3.02	1/4"	80S	0.80
14.00	1.00			0.33
14.00	1.50			0.47
14.00	2.00			0.60
14.00	2.50			0.72
14.00	3.00			0.83
15.00	0.60			0.22
15.00	1.00			0.35
15.00	1.50			0.51
15.00	2.00			0.65
15.00	2.50			0.78
15.00	3.00			0.90
15.00	4.00			1.10
15.88	1.24	5/8"	0.049"	0.45
15.88	2.11	5/8"	0.083"	0.73
16.00	1.00			0.38
16.00	1.20			0.45
16.00	1.50			0.55
16.00	2.00			0.70
16.00	2.50			0.85
16.00	3.00			0.98
16.00	3.50			1.40
16.00	4.00			1.20
17.00	1.00			0.40
17.00	1.50			0.58
17.00	2.00			0.75
17.00	3.00			1.05
17.14	3.20			1.12
17.15	1.65	3/8"	10S	0.64
17.15	2.31	3/8"	40S	0.87
17.15	3.20	3/8"	80S	1.12
17.20	1.00			0.41
17.20	1.50			0.59
17.20	1.60			0.63
17.20	2.00			0.76
17.20	2.30			0.86
17.20	2.35	3/8" GAS		0.87
17.20	3.20			1.12
18.00	0.70			0.30
18.00	1.00			0.43
18.00	1.50			0.62
18.00	1.60			0.66
18.00	2.00			0.80
18.00	2.50			0.97
18.00	3.00			1.13

continued on next page

**Gelaste en naadloze buis**  
**Welded and seamless tube**  
**Tube soudé et tube sans soudure**  
**Geschweisstes und nahtloses Rohr**



ASTM A312 / A358 / A790 / A213 / A269  
 EN 10217-7 / EN 10216-5

Pipe				
D	Wt	D	Wt	Weight
mm	mm	Inch	SCH/BWG	Kg/mtr
18.00	3.50			1.27
18.00	4.00			1.40
19.00	1.00			0.45
19.00	1.20			0.54
19.00	1.50			0.66
19.00	1.60			0.70
19.00	2.00			0.85
19.05	0.89	3/4"	0.035"	0.40
19.05	1.24	3/4"	0.049"	0.55
19.05	1.65	3/4"	0.065"	0.72
19.05	2.11	3/4"	0.083"	0.89
20.00	1.00			0.48
20.00	1.20			0.57
20.00	1.50			0.70
20.00	1.60			0.74
20.00	2.00			0.90
20.00	2.50			1.10
20.00	2.60			1.13
20.00	3.00			1.28
20.00	3.50			1.45
20.00	4.00			1.60
20.00	5.00			1.88
21.30	1.00			0.51
21.30	1.20			0.60
21.30	1.50			0.74
21.30	1.60			0.79
21.30	2.00			0.97
21.30	2.30			1.09
21.30	2.60			1.22
21.30	2.65	1/2" GAS		1.24
21.30	2.90			1.34
21.30	3.20			1.45
21.34	1.65	1/2"	5	0.81
21.34	2.11	1/2"	10S	1.02
21.34	2.77	1/2"	40S	1.29
21.34	3.73	1/2"	80S	1.64
21.34	4.75	1/2"	160	1.97
21.34	7.47	1/2"	XXS	2.59
22.00	0.70			0.37
22.00	1.00			0.53
22.00	1.20			0.63
22.00	1.50			0.77
22.00	2.00			1.00
22.00	3.00			1.43
22.00	4.00			1.80
23.00	1.50			0.81
23.00	2.00			1.05
23.00	2.50			1.28
24.00	1.00			0.58
24.00	2.00			1.10
24.00	3.50			1.80
24.00	4.00			2.00
25.00	1.00			0.60
25.00	1.20			0.72
25.00	1.50			0.88
25.00	1.60			0.94
25.00	2.00			1.15
25.00	2.50			1.41
25.00	2.60			1.46
25.00	3.00			1.65

Pipe				
D	Wt	D	Wt	Weight
mm	mm	Inch	SCH/BWG	Kg/mtr
25.00	3.20			1.75
25.00	3.50			1.88
25.00	4.00			2.10
25.00	5.00			2.50
25.40	1.24	1"	0.049"	0.75
25.40	1.25			0.76
25.40	1.60			0.95
25.40	1.65	1"	0.065"	0.98
25.40	2.00			1.17
25.40	2.11	1"	0.083"	1.23
25.40	2.60			1.48
26.67	1.65	3/4"	5	1.03
26.67	2.11	3/4"	10S	1.30
26.67	2.87	3/4"	40S	1.71
26.67	3.91	3/4"	80S	2.23
26.67	5.54	3/4"	160	2.93
26.67	7.82	3/4"	XXS	3.69
26.90	1.00			0.65
26.90	1.20			0.77
26.90	1.50			0.95
26.90	1.60			1.01
26.90	2.00			1.25
26.90	2.30			1.42
26.90	2.60			1.58
26.90	2.65	3/4" GAS		1.61
26.90	2.90			1.74
26.90	3.20			1.90
27.00	3.00			1.80
27.00	3.50			2.06
27.00	4.00			2.30
28.00	0.80			0.54
28.00	1.00			0.68
28.00	1.50			1.00
28.00	2.00			1.30
28.00	2.50			1.60
28.00	3.00			1.88
28.00	3.50			2.15
28.00	4.00			2.40
28.00	5.00			2.88
29.00	2.00			1.35
30.00	1.00			0.73
30.00	1.50			1.07
30.00	1.60			1.14
30.00	2.00			1.40
30.00	2.30			1.60
30.00	2.50			1.72
30.00	2.60			1.78
30.00	3.00			2.03
30.00	3.50			2.32
30.00	4.00			2.60
30.00	5.00			3.13
31.00	4.00			2.70
31.80	1.00			0.77
31.80	1.25			0.96
32.00	1.20			0.93
32.00	1.50			1.15
32.00	2.00			1.50
32.00	2.50			1.85
32.00	3.00			2.18
33.00	1.50			1.18

continued on next page

- Available in 304/304L, 316/316L, 321/321H and Duplex
- For other grades, technical details and tolerances, see technical sheet



# Gelaste en naadloze buis Welded and seamless tube Tube soudé et tube sans soudure Geschweisstes und nahtloses Rohr

Pipe				
D	Wt	D	Wt	Weight
mm	mm	Inch	SCH/BWG	Kg/mtr
33.00	2.00			1.50
33.00	4.00			2.91
33.40	1.65	1"	5	1.31
33.40	2.77	1"	10S	2.13
33.40	3.38	1"	40S	2.54
33.40	4.55	1"	80S	3.29
33.40	6.35	1"	160	4.30
33.40	9.09	1"	XXS	5.53
33.70	1.00			0.82
33.70	1.20			0.98
33.70	1.50			1.21
33.70	1.60			1.29
33.70	2.00			1.59
33.70	2.30			1.81
33.70	2.60			2.03
33.70	2.90			2.24
33.70	3.00			2.31
33.70	3.20			2.44
33.70	3.25	1" GAS		2.48
33.70	3.60			2.71
33.70	4.05			3.01
34.00	1.00			0.83
34.00	1.50			1.22
34.00	2.00			1.60
34.00	3.50			2.67
34.00	4.00			3.01
34.00	5.00			3.63
34.00	5.50			3.93
35.00	1.00			0.85
35.00	1.20			1.02
35.00	1.50			1.26
35.00	2.00			1.65
35.00	2.50			2.04
35.00	3.00			2.40
35.00	4.00			3.11
35.00	5.00			3.76
36.00	1.50			1.30
36.00	2.00			1.70
38.00	1.00			0.93
38.00	1.20			1.11
38.00	1.50			1.37
38.00	1.60			1.46
38.00	2.00			1.80
38.00	2.50			2.22
38.00	2.60			2.31
38.00	3.00			2.63
38.00	3.20			2.79
38.00	3.60			3.10
38.00	4.00			3.41
38.00	5.00			4.13
38.00	6.00			4.81
40.00	1.00			0.98
40.00	1.20			1.17
40.00	1.50			1.45
40.00	1.60			1.54
40.00	2.00			1.90
40.00	2.50			2.35
40.00	2.60			2.44
40.00	3.00			2.78
40.00	4.00			3.61

Pipe				
D	Wt	D	Wt	Weight
mm	mm	Inch	SCH/BWG	Kg/mtr
40.00	5.00			4.38
41.00	1.00			1.00
42.00	1.20			1.23
42.00	2.00			2.00
42.00	3.00			2.93
42.00	6.00			5.41
42.16	1.65	1 1/4"	5	1.67
42.16	2.77	1 1/4"	10S	2.73
42.16	3.56	1 1/4"	40S	3.44
42.16	4.85	1 1/4"	80S	4.53
42.16	6.35	1 1/4"	160	5.69
42.16	9.70	1 1/4"	XXS	7.88
42.40	1.20			1.24
42.40	1.50			1.54
42.40	1.60			1.64
42.40	2.00			2.02
42.40	2.60			2.59
42.40	2.90			2.87
42.40	3.00			2.96
42.40	3.20			3.14
42.40	3.25			3.19
42.40	3.60			3.50
42.40	4.05			3.89
43.00	1.50			1.56
43.00	5.50			5.17
44.00	2.00			2.10
44.00	3.00			3.08
44.50	1.50			1.62
44.50	1.60			1.72
44.50	2.00			2.13
44.50	2.60			2.73
44.50	2.90			3.02
44.50	3.20			3.31
44.50	4.00			4.06
44.50	5.50			5.37
45.00	1.50			1.63
45.00	2.00			2.15
45.00	3.50			3.64
45.00	5.00			5.01
48.00	1.00			1.18
48.00	2.50			2.85
48.00	4.00			4.41
48.26	1.65	1 1/2"	5	1.93
48.26	2.77	1 1/2"	10S	3.16
48.26	3.68	1 1/2"	40S	4.11
48.26	5.08	1 1/2"	80S	5.49
48.26	7.14	1 1/2"	160	7.35
48.26	10.16	1 1/2"	XXS	9.69
48.30	1.20			1.42
48.30	1.50			1.76
48.30	1.60			1.87
48.30	2.00			2.32
48.30	2.30			2.65
48.30	2.60			2.98
48.30	2.90			3.30
48.30	3.00			3.40
48.30	3.20			3.61
48.30	3.25	1 1/2" GAS		3.67
48.30	3.60			4.03
48.30	4.05			4.49

continued on next page

**Gelaste en naadloze buis**  
**Welded and seamless tube**  
**Tube soudé et tube sans soudure**  
**Geschweisstes und nahtloses Rohr**



ASTM A312 / A358 / A790 / A213 / A269  
 EN 10217-7 / EN 10216-5

Pipe				
D	Wt	D	Wt	Weight
mm	mm	Inch	SCH/BWG	Kg/mtr
49.00	5.50			5.99
50.00	1.00			1.23
50.00	1.50			1.82
50.00	2.00			2.40
50.00	2.50			2.97
50.00	3.00			3.53
50.00	5.00			5.63
50.00	6.00			6.61
50.80	1.25			1.55
50.80	1.50			1.85
50.80	1.60			1.97
50.80	2.00			2.44
50.80	2.50			3.02
51.00	1.00			1.25
51.00	1.20			1.50
51.00	1.50			1.86
51.00	1.60			1.98
51.00	2.00			2.45
51.00	2.60			3.15
51.00	4.00			4.71
52.00	1.00			1.28
52.00	1.50			1.90
52.00	2.00			2.50
53.00	1.50			1.93
53.00	3.00			3.76
53.00	4.50			5.47
54.00	1.20			1.59
54.00	1.50			1.97
54.00	1.60			2.10
54.00	2.00			2.60
54.00	2.60			3.35
54.00	3.00			3.83
55.00	2.00			2.65
55.00	2.50			3.29
55.00	5.00			6.26
55.00	5.50			6.82
57.00	1.50			2.09
57.00	1.60			2.22
57.00	2.00			2.75
57.00	2.50			3.41
57.00	2.60			3.54
57.00	2.90			3.93
57.00	3.00			4.06
57.00	3.50			4.69
57.00	4.00			5.31
57.00	4.50			5.92
57.00	5.00			6.51
57.00	6.50			8.22
58.00	2.60			3.61
60.00	5.00			6.89
60.30	1.20			1.78
60.30	1.50			2.21
60.30	1.60			2.35
60.30	2.00			2.92
60.30	2.30			3.34
60.30	2.60			3.76
60.30	2.77			3.99
60.30	2.90			4.17
60.30	3.00			4.30
60.30	3.20			4.58

Pipe				
D	Wt	D	Wt	Weight
mm	mm	Inch	SCH/BWG	Kg/mtr
60.30	3.60			5.11
60.30	3.65	2" GAS		5.18
60.30	3.91			5.52
60.30	4.00			5.64
60.30	4.50			6.29
60.30	5.54			7.60
60.30	8.74			11.28
60.33	1.65	2"	5	2.42
60.33	2.77	2"	10S	3.99
60.33	3.91	2"	40S	5.52
60.33	5.54	2"	80S	7.60
60.33	8.74	2"	160	11.29
60.33	11.07	2"	XXS	13.66
63.00	1.50			2.31
63.50	1.50			2.33
63.50	1.60			2.48
63.50	2.00			3.08
63.50	2.50			3.82
63.50	2.60			3.97
63.50	3.00			4.55
63.50	3.20			4.83
63.50	3.50			5.26
64.00	2.00			3.11
65.00	1.50			2.39
65.00	2.50			3.91
65.00	3.00			4.66
65.00	3.50			5.39
68.00	1.50			2.50
68.00	4.00			6.41
69.00	2.00			3.36
70.00	1.50			2.57
70.00	1.60			2.74
70.00	2.00			3.41
70.00	2.50			4.23
70.00	2.60			4.39
70.00	2.90			4.87
70.00	4.00			6.61
70.00	4.50			7.38
70.00	5.00			8.14
70.00	7.00			11.04
73.00	1.50			2.69
73.03	2.11	2 1/2"	5	3.75
73.03	3.05	2 1/2"	10S	5.35
73.03	5.16	2 1/2"	40S	8.77
73.03	7.01	2 1/2"	80S	11.59
73.03	9.53	2 1/2"	160	15.15
73.03	14.02	2 1/2"	XXS	20.72
74.00	4.00			7.01
75.00	2.50			4.54
76.00	5.00			8.89
76.00	5.50			9.71
76.00	6.00			10.52
76.10	1.50			2.80
76.10	1.60			2.99
76.10	2.00			3.71
76.10	2.30			4.25
76.10	2.60			4.79
76.10	2.90			5.32
76.10	3.00			5.49
76.10	3.20			5.84

continued on next page

- Available in 304/304L, 316/316L, 321/321H and Duplex
- For other grades, technical details and tolerances, see technical sheet



# Gelaste en naadloze buis

## Welded and seamless tube

### Tube soudé et tube sans soudure

### Geschweisstes und nahtloses Rohr

Pipe				
D	Wt	D	Wt	Weight
mm	mm	Inch	SCH/BWG	Kg/mtr
76.10	3.60	2 1/2" GAS		6.54
76.10	3.65			6.62
76.10	4.00			7.22
76.10	4.50			8.07
76.10	5.00			8.90
76.10	6.30			11.01
80.00	2.00			3.91
80.00	2.50			4.85
80.00	3.00			5.78
80.00	4.00			7.61
80.00	5.00			9.39
83.00	1.50			3.06
83.00	3.50			6.97
84.00	2.00			4.11
85.00	1.50			3.14
85.00	2.00			4.16
85.00	2.50			5.17
86.00	3.00			6.24
88.90	1.50			3.28
88.90	1.60			3.50
88.90	2.00			4.35
88.90	2.11	3"	5	4.59
88.90	2.30			4.99
88.90	2.50			5.41
88.90	2.60			5.62
88.90	2.90			6.25
88.90	3.00			6.45
88.90	3.05	3"	10S	6.56
88.90	3.20			6.87
88.90	3.60			7.69
88.90	4.00			8.50
88.90	4.05	3" GAS		8.61
88.90	4.50			9.51
88.90	5.00			10.50
88.90	5.49	3"	40S	11.47
88.90	6.30			13.03
88.90	7.62	3"	80S	15.51
88.90	11.13	3"	160	21.67
88.90	15.24	3"	XXS	28.11
89.00	6.50			13.43
90.00	5.00			10.64
93.00	2.00			4.56
97.00	4.00			9.32
100.00	3.00			7.29
100.00	8.00			18.43
101.60	1.50			3.76
101.60	1.60			4.01
101.60	2.00			4.99
101.60	2.11	3 1/2"	5	5.26
101.60	2.60			6.45
101.60	2.90			7.17
101.60	3.00			7.41
101.60	3.05	3 1/2"	10S	7.53
101.60	3.60			8.83
101.60	4.00			9.78
101.60	4.05	3 1/2" GAS		9.89
101.60	5.74	3 1/2"	40S	13.78
101.60	8.08	3 1/2"	80S	18.92
101.60	16.05	3 1/2"	XXS	34.38
102.00	3.50			8.63

Pipe				
D	Wt	D	Wt	Weight
mm	mm	Inch	SCH/BWG	Kg/mtr
102.00	6.50			15.54
103.00	1.50			3.81
104.00	2.00			5.11
104.00	6.00			14.72
106.00	2.80			7.24
106.00	3.00			7.74
108.00	2.00			5.31
108.00	2.50			6.60
108.00	3.00			7.89
108.00	3.20			8.40
108.00	3.60			9.41
108.00	4.00			10.42
108.00	4.50			11.66
108.00	5.00			12.90
108.00	5.40			13.87
108.00	6.30			16.04
112.00	6.00			15.93
112.00	8.00			20.83
114.30	1.50			4.24
114.30	1.60			4.52
114.30	2.00			5.62
114.30	2.11	4"	5	5.93
114.30	2.60			7.27
114.30	2.90			8.09
114.30	3.00			8.36
114.30	3.05	4"	10S	8.50
114.30	3.20			8.90
114.30	3.60			9.98
114.30	4.00			11.05
114.30	4.50			12.37
114.30	5.00			13.68
114.30	5.40			14.73
114.30	6.02	4"	40S	16.32
114.30	6.30			17.04
114.30	8.56	4"	80S	22.67
114.30	11.13	4"	120	28.75
114.30	13.49	4"	160	34.05
114.30	17.12	4"	XXS	41.66
121.00	4.00			11.72
127.00	4.00			12.32
128.00	1.50			4.75
129.00	2.00			6.36
133.00	2.00			6.56
133.00	2.50			8.17
133.00	3.00			9.77
133.00	4.00			12.92
133.00	5.00			16.03
133.00	6.30			19.99
139.70	1.60			5.53
139.70	2.00			6.90
139.70	2.60			8.93
139.70	2.90			9.93
139.70	3.00			10.27
139.70	3.20			10.94
139.70	4.00			13.59
139.70	5.00			16.86
139.70	6.30			21.04
141.30	2.77	5"	5	9.61
141.30	3.40	5"	10S	11.74
141.30	6.55	5"	40S	22.10

continued on next page

# Gelaste en naadloze buis

## Welded and seamless tube

### Tube soudé et tube sans soudure

### Geschweisstes und nahtloses Rohr



ASTM A312 / A358 / A790 / A213 / A269  
EN 10217-7 / EN 10216-5

Pipe				
D	Wt	D	Wt	Weight
mm	mm	Inch	SCH/BWG	Kg/mtr
141.30	9.53	5"	80S	31.44
141.30	12.70	5"	120	40.90
141.30	15.88	5"	160	49.87
141.30	19.05	5"	XXS	58.32
153.00	1.50			5.69
154.00	2.00			7.61
155.00	2.50			9.55
156.00	3.00			11.49
159.00	2.00			7.86
159.00	2.50			9.80
159.00	3.00			11.72
159.00	4.00			15.53
159.00	4.50			17.41
159.00	5.00			19.28
159.00	6.30			24.09
168.30	1.60			6.68
168.30	2.00			8.33
168.30	2.60			10.79
168.30	2.77	6"	5	11.48
168.30	2.90			12.01
168.30	3.00			12.42
168.30	3.20			13.23
168.30	3.40	6"	10S	14.04
168.30	3.60			14.85
168.30	4.00			16.46
168.30	4.50			18.46
168.30	5.00			20.45
168.30	6.00			24.38
168.30	6.30			25.56
168.30	7.11	6"	40S	28.70
168.30	10.91	6"	80S	43.00
168.30	14.27	6"	120	55.04
168.30	18.24	6"	160	68.54
168.30	21.95	6"	XXS	80.44
203.00	1.50			7.57
204.00	2.00			10.12
205.00	2.50			12.68
206.00	3.00			15.25
208.00	4.00			20.43
219.08	2.77	8"	5	15.00
219.08	3.76	8"	10S	20.27
219.08	6.35	8"	20	33.83
219.08	7.04	8"	30	37.38
219.08	8.18	8"	40S	43.20
219.08	10.31	8"	60	53.90
219.08	12.70	8"	80S	65.63
219.08	15.06	8"	100	76.94
219.08	18.24	8"	120	91.73
219.08	20.62	8"	140	102.47
219.08	22.23	8"	XXS	109.57
219.08	23.01	8"	160	112.97
219.10	2.00			10.87
219.10	2.60			14.10
219.10	2.90			15.70
219.10	3.00			16.23
219.10	3.20			17.30
219.10	3.60			19.43
219.10	4.00			21.54
219.10	4.50			24.18
219.10	5.00			26.81

Pipe				
D	Wt	D	Wt	Weight
mm	mm	Inch	SCH/BWG	Kg/mtr
219.10	6.00			32.02
219.10	6.30			33.57
219.10	6.50			34.60
219.10	8.18			43.20
219.10	12.70			65.64
254.00	2.00			12.62
255.00	2.50			15.81
256.00	3.00			19.01
273.00	2.00			13.57
273.00	2.60			17.60
273.00	2.90			19.61
273.00	3.00			20.28
273.00	3.20			21.62
273.00	3.60			24.29
273.00	4.00			26.94
273.00	5.00			33.55
273.00	6.00			40.11
273.00	6.30			42.07
273.05	3.40	10"	5	22.96
273.05	4.19	10"	10S	28.21
273.05	6.35	10"	20	42.41
273.05	7.80	10"	30	51.81
273.05	9.27	10"	40S	61.23
273.05	12.70	10"	60/80S	82.79
273.05	15.06	10"	80	97.29
273.05	18.24	10"	100	116.38
273.05	21.41	10"	120	134.91
273.05	25.40	10"	140/XXS	157.51
273.05	28.58	10"	160	174.95
304.00	2.00			15.12
305.00	2.50			18.94
306.00	3.00			22.76
308.00	4.00			30.45
323.85	3.96	12"	5	31.72
323.85	4.57	12"	10S	36.54
323.85	6.35	12"	20	50.48
323.85	8.38	12"	30	66.20
323.85	9.53	12"	40S	75.01
323.85	10.31	12"	40	80.94
323.85	12.70	12"	80S	98.95
323.85	14.27	12"	60	110.62
323.85	17.45	12"	80	133.88
323.85	21.41	12"	100	162.14
323.85	25.40	12"	120/XXS	189.82
323.85	28.58	12"	140	211.31
323.85	33.32	12"	160	242.40
323.90	2.00			16.12
323.90	2.60			20.92
323.90	2.90			23.31
323.90	3.00			24.11
323.90	3.20			25.70
323.90	3.60			28.87
323.90	4.00			32.04
323.90	5.00			39.93
323.90	6.00			47.76
323.90	6.30			50.10
323.90	10.00			78.60
323.90	12.70			98.96
355.00	2.50			22.07
355.60	2.00			17.71

continued on next page

- Available in 304/304L, 316/316L, 321/321H and Duplex
- For other grades, technical details and tolerances, see technical sheet



# Gelaste en naadloze buis

## Welded and seamless tube

### Tube soudé et tube sans soudure

### Geschweisstes und nahtloses Rohr

Pipe				
D	Wt	D	Wt	Weight
mm	mm	Inch	SCH/BWG	Kg/mtr
355.60	2.60			22.98
355.60	2.90			25.61
355.60	3.00			26.49
355.60	3.20			28.24
355.60	3.96	14"	5	34.87
355.60	4.00			35.22
355.60	4.78	14"	10S	41.99
355.60	5.00			43.90
355.60	6.00			52.52
355.60	6.30			55.10
355.60	6.35	14"	10	55.53
355.60	7.92	14"	20	68.95
355.60	9.53	14"	30/STD	82.58
355.60	11.13	14"	40	96.00
355.60	12.70	14"	80S/XS	109.05
355.60	15.06	14"	60	128.42
355.60	19.05	14"	80	160.54
355.60	23.80	14"	100	197.74
355.60	27.76	14"	120	227.89
355.60	31.75	14"	140	257.47
355.60	35.71	14"	160	286.04
356.00	3.00			26.52
406.40	2.50			25.28
406.40	2.90			29.30
406.40	3.00			30.30
406.40	3.20			32.31
406.40	4.00			40.30
406.40	4.19	16"	5	42.20
406.40	4.50			45.29
406.40	4.78	16"	10s	48.07
406.40	5.00			50.26
406.40	6.00			60.16
406.40	6.30			63.12
406.40	6.35	16"	10	63.61
406.40	7.92	16"	20	79.03
406.40	9.53	16"	30/STD	94.71
406.40	12.70	16"	40/XS	125.20
406.40	16.66	16"	60	162.59
406.40	21.41	16"	80	206.40
406.40	26.19	16"	100	249.34
406.40	30.94	16"	120	290.88
406.40	36.53	16"	140	338.32
406.40	40.46	16"	160	370.74
456.00	3.00			34.03
456.00	4.00			45.27
457.20	3.00			34.12
457.20	4.19	18"	5	47.53
457.20	4.78	18"	10S	54.15
457.20	5.00			56.62
457.20	6.35	18"	10	71.69
457.20	7.92	18"	20	89.10
457.20	9.53	18"	STD	106.83
457.20	11.13	18"	30	124.32
457.20	12.70	18"	XS	141.36
457.20	14.27	18"	40	158.27
457.20	19.05	18"	60	209.00
457.20	23.80	18"	80	258.29
457.20	29.36	18"	100	314.54
457.20	34.93	18"	120	369.34
457.20	39.67	18"	140	414.75

Pipe				
D	Wt	D	Wt	Weight
mm	mm	Inch	SCH/BWG	Kg/mtr
457.20	45.24	18"	160	466.67
506.00	3.00			37.79
508.00	3.00			37.94
508.00	4.00			50.48
508.00	4.78	20"	5	60.23
508.00	5.00			62.98
508.00	5.54	20"	10S	69.70
508.00	5.60			70.45
508.00	6.00			75.42
508.00	6.30			79.14
508.00	6.35	20"	10	79.76
508.00	9.53	20"	20/STD	118.95
508.00	12.70	20"	30/XS	157.51
508.00	15.06	20"	40	185.89
508.00	20.62	20"	60	251.65
508.00	26.19	20"	80	315.97
508.00	32.54	20"	100	387.41
508.00	38.10	20"	120	448.30
508.00	44.46	20"	140	516.05
508.00	49.99	20"	160	573.31
558.80	4.78	22"	5	66.31
558.80	5.54	22"	10S	76.75
558.80	6.35	22"	10	87.84
558.80	9.53	22"	20/STD	131.07
558.80	12.70	22"	30/XS	173.66
558.80	15.90	22"	40	216.15
558.80	22.22	22"	60	298.55
558.80	28.60	22"	80	379.70
558.80	34.90	22"	100	457.83
558.80	41.30	22"	120	535.17
558.80	47.60	22"	140	609.30
558.80	54.00	22"	160	682.57
609.60	3.00			45.57
609.60	4.00			60.66
609.60	5.54	24"	5	83.80
609.60	6.30			95.17
609.60	6.35	24"	10/10S	95.92
609.60	9.53	24"	20/STD	143.20
609.60	12.70	24"	XS	189.82
609.60	14.27	24"	30	212.72
609.60	17.45	24"	40	258.74
609.60	24.59	24"	60	360.21
609.60	30.94	24"	80	448.31
609.60	38.89	24"	100	555.76
609.60	46.02	24"	120	649.44
609.60	52.37	24"	140	730.72
609.60	59.51	24"	160	819.71
660.40	7.92	26"	10	129.40
660.40	9.53	26"	STD	155.32
660.40	12.70	26"	20/XS	205.97
711.20	4.00			70.83
711.20	6.35	28"	5	112.07
711.20	7.10			125.18
711.20	7.92	28"	10	139.47
711.20	9.53	28"	STD	167.44
711.20	12.70	28"	20/XS	222.13
711.20	15.88	28"	30	276.48
762.00	7.92	30"	10	149.55
762.00	9.53	30"	STD	179.56
762.00	12.70	30"	20/XS	238.28

continued on next page

**Gelaste en naadloze buis**  
**Welded and seamless tube**  
**Tube soudé et tube sans soudure**  
**Geschweisstes und nahtloses Rohr**



ASTM A312 / A358 / A790 / A213 / A269  
 EN 10217-7 / EN 10216-5

Pipe				
D	Wt	D	Wt	Weight
mm	mm	Inch	SCH/BWG	Kg/mtr
762.00	15.88	30"	30	296.68
812.80	4.00			81.01
812.80	7.92	32"	10	159.62
812.80	8.00			161.22
812.80	9.53	32"	STD	191.69
812.80	12.70	32"	20/XS	254.44
812.80	15.88	32"	30	316.88
812.80	17.48	32"	40	348.11
864.00	7.92	34"	10	169.76
864.00	9.53	34"	STD	203.90
864.00	12.70	34"	20/XS	270.72
864.00	15.88	34"	30	337.24
864.00	17.48	34"	40	370.52
914.40	4.00			91.19
914.40	7.92	36"	10	179.77
914.40	9.53	36"	STD	215.93
914.40	12.70	36"	20/XS	286.75
914.40	15.88	36"	30	357.28
914.40	19.05	36"	40	427.09
965.20	7.92	38"	10S	189.85
965.20	8.74			209.32
965.20	9.53	38"	STD	228.05
965.20	10.30			246.28
965.20	11.10			265.19
965.20	11.90			284.06
965.20	12.70	38"	XS	302.90
965.20	14.30			340.49
965.20	15.90			377.95
965.20	17.50			415.28
965.20	19.10			452.49
1016.00	7.92	40"	10S	199.92
1016.00	8.74			220.44
1016.00	9.53	40"	STD	240.18
1016.00	10.30			259.38
1016.00	11.10			279.31
1016.00	11.90			299.20
1016.00	12.70	40"	XS	319.06
1016.00	14.30			358.68
1016.00	15.90			398.18
1016.00	17.50			437.54
1016.00	19.10			476.78

- Available in 304/304L, 316/316L, 321/321H and Duplex
- For other grades, technical details and tolerances, see technical sheet